


Hydro 2 is built for durability and strength and is ideal for indoor or outdoor promotions. The moulded base can be filled with either water or sand, making it especially suitable for high traffic areas indoors or poor weather conditions outdoors.

features & benefits

- Suitable for indoor or outdoor use
- Can be used as a double or single sided unit
- Ideal for point of sale, retail display or exhibitions
- Moulded plastic base for water or sand weighting
- Supported on a simple eyelet system
- Weather resistant
- Supplied with carry bag
- Designed to withstand approximate wind speeds of 10-12 miles per hour (Beaufort scale 3)



hardware specifications

Assembled dimensions (mm):
2135 (h) x 813 (w) x 533 (d) approx

Base footprint dimensions (mm):
533 x 394 approx

Weight:
7.7kg approx when empty
20.6kg approx when filled with water

graphic specifications

Please refer to graphic template


additional info

Included in kit:
Base, support arms, graphic fixing and carry bag.

Availability:
Dark grey base, mid grey support arms

Recommended accessories:
AB120A 850 x 150mm dia banner tube
(to transport graphics safely)

Assembly Instructions



Kit includes: Base, support arms and carry bag.




insert the graphic fixing into place by pushing the fixing into the channel on the base




Slot the poles into the locator on the base furthest away from the graphic fixing




Assemble the top section of the poles into the locators in the middle section of the graphic support



Assemble the remaining bungee support poles.




Once all the bungee poles are fully assembled the graphic can be attached



To attach the graphic align the hooks found on the graphic support with the eyelets on the graphic and attach each one.



Remove cap and fill the base with water or sand.



roller
banners

tel: 01480 493666
email: info@roller-banners.co.uk

When using a double sided banner stand, repeat the above steps